

akubela Smart Home





HyPanel Lux

A BEACON OF LUXURY

Rotate into Smart Living of Tomorrow





Every family differs, but a family that owns an Akubela is a happy one.




HyPanel

The Mind and Soul of Your Home

The Simplicity of Design Powered by the Smartest Technology









HyPanel Lite

The Classic Meets the Modern



Communication & Family Bonds

Akubela helps build stronger family bonds through communication.














Future-proof Your Home

Akubela connects you to a growing ecosystem of smart IoT devices.



Smart Sensors

Make Your Home Safer and More Comfortable







Smart Gas Sensor

A must-have home tech for eliminating any health and safety risks.

Specification	
Working voltage	220V AC
Standby current	≤200 mA
Networking	Zigbee
Detected gas	Methane (natural gas)
Alarm LEL	8% LEL methane
Concentration error	±3% LEL
Alarm sound pressure	≥70dB (1m in front of the gas detector)
Working environment	-10°C ~ +55°C
Working humidity	≤95%RH
Dimension	85x30mm



Smart Emergency Button

Call for help in emergencies with just one push of a button.

Specification	
Working voltage	DC3V (CR2032 battery)
Battery life	1 year
Networking	Zigbee
Undervoltage alarm	Supported
Working environment	-10°C ~ +55°C
Dimension	50 x 16 mm



Smart Temperature and Humidity Sensor

Measure the temperature and humidity of your home with one device.

Specification	
Working voltage	DC3V (two No.7 batteries)
Battery life	3 years
Networking	Zigbee
Working environment	-10°C ~ +55°C
Working humidity	0% to 99.9%RH
Dimension	61.2 x 23mm





Smart Motion Sensor

Bring more convenience to your home.

Specification	
Working voltage	DC3V (CR123A battery)
Battery life	3 years
Detection radius	8m
Detecting angle	90°
Install height	2.2m
Networking	Zigbee
Undervoltage alarm	Supported
Working environment	-10°C ~ +55°C
Dimension	48.4x53.4mm



Smart Smoke Sensor

Take immediate action when a fire just starts.

Specification	
Working voltage	DC3V (CR123A battery)
Battery life	>1 year (20 times per day)
Networking	Zigbee
Alarm sound pressure	≥85dB (3m in front of the smoke detector)
Working environment	-10°C ~ +55°C
Installation	Ceiling
Dimension	90×37mm



Smart Flood Sensor


Alert you to minor leaks before they become harmful floods.

Specification	
Working voltage	DC3V (CR2032 battery)
Battery life	>1 year (20 times per day)
Networking	Zigbee
Low battery indication	Yes
Working environment	-10°C ~ +55°C
Dimension	50x18mm



Go Green, Save the Environment

Akubela is dedicated to reducing your carbon footprint.







www.akubela.com